D	Л	4	ω	N	1–1	
BRS	BRS	BRS	BRS	BRS	BRS	Туре
18	1	1	8	29	6	Hits
automat\$3 with test\$3 with electrical same manufacture\$1 and (ID or identification\$1 or identifier\$1 or serial)	"4351013".PN.	"4358732".PN.	automat\$3 with test\$3 with electrical with manufacture\$1 and (ID or identification\$1 or identifier\$1 or serial)	automat\$3 with test\$3 with electrical with manufacture\$1	automat\$3 with test\$3 with factory with information	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	USPAT; USOCR	USPAT; USOCR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
2005/06/14 10:56	2005/06/14	2005/06/14 10:54	2005/06/14 11:48	2005/06/14 10:51	2005/06/14 10:50	Time Stamp
			-			Comments

6	5	4	ω	2	1	
·						Error Definitio n
						Errors
S7	S5	S4	S3	S2	S1	Ref

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
7 B	BRS	2	automat\$3 with test\$3 with electrical same manufacture\$1 and (ID or identification\$1 or identifier\$1 or serial) and control\$4 with command\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
\omega	BRS	39	automat\$3 with test\$3 with electrical and manufacture\$1 and (ID or identification\$1 or identifier\$1 or serial) and control\$4 with command\$1 and (file\$1 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 11:00	
9	BRS	Δ.	automat\$3 with test\$3 with electrical and manufacture\$1 and correct with (ID or identification\$1 or identifier\$1 or serial) and control\$4 with command\$1 and stored with (file\$1 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 11:01	

Ø	00	7	
			Error Definitio n
			Errors
S 11 11	S	ω ω	Ref

	Туре	Hits	Search Text automat\$3 with test\$3 with electrical and	- D	DBs
10	BRS 1	<u>5</u>	al and ure\$1 and (ID or cation\$1 or er\$1 or serial) rol\$4 with 1 and stored with or database)	US-PGPUB; USPAT; EPO JPO; DERWE IBM_TDB	PUB; ; EPO; 2005/06/14 DERWENT; 11:01 DB
11 11	BRS.		with test\$3 with and e\$1 and or validat\$3) r tion\$1 or \$1 or \$1 or serial) 1\$4 with and stored with database)	US-PGPUB; USPAT; EP JPO; DERW IBM_TDB	PUB; ; EPO; 2005/06/14 DERWENT; 11:02 DB
12	BRS 5	01	automat\$3 with test\$3 with electrical and manufacture\$1 and (verify\$3 or validat\$3) with (ID or identification\$1 or identifier\$1 or serial)	US-PGPUB; USPAT; EP JPO; DERW IBM_TDB	PUB; ; EPO; 2005/06/14 DERWENT; 11:05

12	H H	10	
			Error Definitio n
			Errors
S13	S12	S10	Ref

15	14	13	
			Error Definitio n
			Errors
S16	S15	S14	Ref

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
16	BRS	2	automat\$3 with test\$3 and electrical with voltage\$1 with instrument\$1 and manufacture\$1 and (verif\$7 or validat\$3) with (ID or identification\$1 or identifier\$1 or serial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 11:09	
17	BRS	<u>1</u>	automat\$3 with test\$3 and electrical with voltage\$1 and hi-pot with test\$3 with instrument\$1 and manufacture\$1 and (verif\$7 or validat\$3) with (ID or identification\$1 or identifier\$1 or serial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 11:12	
18	BRS	1	automat\$3 with test\$3 and electrical with voltage\$1 and hi-pot with test\$3 with instrument\$1 and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
19	BRS	1	automat\$3 with test\$3 and hi-pot with test\$3 with instrument\$1 and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/14	

19	18	17	16	
				Error Definitio n
				Errors
S20	S19	S18	S17	Ref

23	22	21	20	
				Error Definitio n
				Errors
S24	S 2 3	S22	S21	Ref

	Type	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	25	"4434489".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/14 11:18	
25	BRS	0	"4434489".uref. and electric\$2 with instrument\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
26	BRS	ω	"4434489".uref. and electric\$4 and instrument\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 11:19	
27	BRS	162	automat\$3 with test\$3 same electrical and manufacture\$1 and (ID or identification\$1 or identifier\$1 or serial) with number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 11:49	
N 8	BRS	8	automat\$3 with test\$3 same electrical and manufacture\$1 and (verif\$7 or validat\$3) with (ID or identification\$1 or identifier\$1 or serial) with number\$1	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	2005/06/14	

28	27	26	25	24	
					Error Definitio n
	·				Errors
S28	S27	S26	S 25	S 6	Ref

Туре	Hits	Search Text	DBs	Time Stamp
29 BRS	87	automat\$3 with test\$3 and electrical and manufacture\$1 and (verif\$7 or validat\$3) with (ID or identification\$1 or identifier\$1 or serial) with numbér\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14
30 BRS	δω .	automat\$3 with test\$3 and electrical and manufacture\$1 and (verif\$7 or validat\$3) with (ID or identification\$1 or serial) with number\$1 and read\$3 with (ID or identification\$1 or serial) identification\$1 or serial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14

30	29	
		Error Definitio n
		Errors
S30	S29	Ref

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS.	1 2 · · ·	automat\$3 with test\$3 and electrical and manufacture\$1 and (verif\$7 or validat\$3) with (ID or identification\$1 or serial) with number\$1 and read\$3 with (ID or identification\$1 or identification\$1 or identification\$1 or folder\$1 or database\$1 or folder\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
32	BRS	0	automat\$3 with test\$3 and voltage\$1 with tolrance\$1 and test\$3 with (cod\$3 or program\$1 or software) with instrument\$1 with port\$1 with operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 12:49	
ω ω	BRS	₽	automat\$3 with test\$3 and voltage\$1 with tolerance\$1 and test\$3 with (cod\$3 or program\$1 or software) with instrument\$1 with port\$1 with operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	

ωω	32	31	
		•	Error Definitio n
			Errors
S 33	S32	S31	Ref

_	Туре	Hits	Search Text	DBs	Time Stamp	Comments
3 4	BRS	<u>Н</u>	automat\$3 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) with instrument\$1 with port\$1 with operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
ယ ပ	BRS	S.	automat\$3 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 with operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
36	BRS	2	automat\$3 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with first with port\$1 with operat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	
37	BRS	8	automat\$6 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 with operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14 13:20	
38	BRS	ω	automat\$6 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 with operating and serial with number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14	

34	Error Definitio n	Errors	Ref
34			S
35			S35
36			S36
37		·	S37
3 8			S38

Туре	ype Hits
39 BRS	S 4
40 BRS	δ . N

40	39	
		Error Definitio n
		Errors
S40	S 3 9	Ref

Туре	pe Hits
41 BRS	S 1
42 BRS	S 2

4 2	41	
		Error Definitio n
		Errors
S42	S41	Ref

44	43	
		Error Definitio n
		Errors
S 4 4	S 4 3	Ref

H.	Туре	Hits	Search Tex utomat\$6 with tes est\$3 with (cod\$3 rogram\$1 or softw	ω	<u>ω</u>
45 BRS		24	est\$3 with (cod\$3 or rogram\$1 or software) nstrument\$1 with port\$ nd (ID or identify\$3 cdentification\$1) with dentification\$1) with IC\$1 or integrated adjC\$1 or motherboard\$1 clectron\$6 or electric\$ nd control\$4 with ommand\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/14
46 BRS		25	automat\$6 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 and (ID or identify\$3 or identification\$1) with (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16
47 BRS		 	"5974257".PN.	USPAT; USOCR	2005/06/16

47	46	45	
			Error Definitio n
			Errors
S47	S 4 6	S 4 5	Ref

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	1	"5511108".PN.	USPAT; USOCR	2005/06/16 09:31	
49	BRS	1	"5432705".PN.	USPAT; USOCR	2005/06/16 09:32	
50	BRS	1	"4901221".PN.	USPAT; USOCR	2005/06/16 09:32	
51	BRS	1	"4760330".PN.	USPAT; USOCR	2005/06/16 09:32	
52	BRS	₩	"4718064".PN.	USPAT; USOCR	2005/06/16 09:32	
5 ω	BRS	1799	(automatic with test\$3 with system\$1).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16 09:40	
54	BRS	(J	(automatic with test\$3 with system\$1).ti. and manufacture\$1 and (ID or identification\$1 or identifier\$1 or serial) with number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16 09:35	

54	53	52	51	50	49	48	
							Error Definitio n
							Errors
S 5 4	S53	S52	S51	S50	S49	S48	Ref

automat\$6 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 and (ID or identify\$3 or identification\$1) with (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj potential) or hihg-potential or hihg-potential) (BM_TDB iBM_TDB iBM_T	-	,	11. t		j j	3	
automat\$6 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 and (ID or identify\$3 or identification\$1) with (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or communicat\$3) with (port\$1 or cable\$41 or wire\$1) with operat\$3 with system\$1 or cable\$41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj potential) and (hi adj USPAT; EPO; potential or hihg-pot or hi-pot or high adj USPAT; EPO; potential or hihg-pot or hi-pot or high adj USPAT; EPO; potential) BRS 27 pot or hi-pot or high adj USPAT; EPO; potential) BRS 27 pot or hi-pot or high adj USPAT; EPO; potential) BRS 27 pot or hi-pot or high adj USPAT; EPO; DERWENT; po; DERWENT; EPO;	T	/pe	Hıts	Search Text	DBs	Time Stamp	Comments
program\$1 or software) and instrument\$1 with port\$1 and (ID or identify\$3 or identifier\$1 or serial or identification\$1) with (IC\$1 or integrated adjuspent; EPO; electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or connection or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj US-PGPUB; potential) or hihg-potential) (BM_TDB BAT; EPO; potential) (BM_TDB BAT; EPO; potential)				utomat\$6 with test\$3 est\$3 with (cod\$3 or			
instrument\$1 with port\$1 and (ID or identify\$3 or identifier\$1 or serial or identification\$1) with (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or connection or connection or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj potential) and (hi adj potential) or hihgpotential or hipgotential or hipgotential or hingpotential or hingpotential or hingpotential) BRS 27 pot or hi-pot or high adj US-PGPUB; potential or hingpotential or hingpotential) BRS 27 potential or hingpotential or hingpotential) IBM_TDB IBM_TDB				am\$1 or software)			
and (ID or identify\$3 or identifier\$1 or serial or identifier\$1 or serial or identification\$1) with (IC\$1 or integrated adj ISPAT; EPO; IC\$1 or motherboard\$1 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or communicat\$3) with (port\$1) or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj pot or hi-pot or hihg-potential) BRS 1 adj pot or hi-pot or hihg-pot or hi-pot or high adj potential) (automatic with test\$3 with system\$1 (automatic with test\$3 with system\$1) and (hi adj IBM_TDB potential or hihg-pot or hi-pot or high adj US-PGPUB; potential or hihg-pot or hi-pot or high adj US-PGPUB; potential or hihg-pot or hi-pot or high adj US-PGPUB; IBM_TDB potential or hihg-pot or hi-pot or high adj US-PGPUB; IBM_TDB				trument\$1 with port			
identifier\$1 or serial or identification\$1) with (IC\$1 or integrated adj ISPAT; EPO; IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with and control\$4 with (instruct\$3 or command\$1) and (interface or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi do gotential) (automatic with test\$3 with system\$1).ti. and (hi do gotential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj potential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$1) and (hi adj po; DERWENT; pot or hipg- gotential) (automatic with test\$3 with system\$2] (automatic with test\$3 with system\$3 with system\$4] (automatic with test\$3 with system\$4] (automatic with test\$3 with system\$5] (automatic with test\$3 with				(ID or identify\$3			
identification\$1) with (IC\$1 or integrated adj IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj pot or hi-pot or high adj potential or hihg- potential) BRS 27 pot or hi-pot or high adj potential or hihg- potential or hihg- potential) BRS 27 pot or hi-pot or high adj potential or hihg- potential) IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; IBM_TDB				dentifier\$1 or serial			
(IC\$1 or integrated adj USPAT; EPO; IC\$1 or motherboard\$1 or electron\$6 or electric\$4) IBM_TDB				ification\$1) with	ווט שטשוש.	-	
BRS 2 IC\$1 or motherboard\$1 or electron\$6 or electric\$4) IBM_TDB and control\$4 with (instruct\$3 or command\$1) and (interface or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi USPAT; EPO; adj potential) and (hi adj US-PGPUB; with system\$1) and (hi adj US-PGPUB; potential or hipg-potential) BRS 27 pot or hi-pot or high adj US-PGPUB; potential or hihg-potential) BRS 27 pot or hi-pot or high adj US-PGPUB; potential or hihg-potential) BRS 28 potential or hihg-potential)				or integrated adj			
electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and (interface or connection or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj pot or hi-pot or high adj potential or hihg- potential) (automatic with test\$3 (automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj pot or hi-pot or high adj potential) BRS 27 pot or hi-pot or high adj potential) BRS 27 potential or hihg- potential) IBM_TDB IBM_TDB IBM_TDB			2	or motherboard\$1 or		2003/06/16	
and control\$4 with (instruct\$3 or command\$1) and (interface or connection or connection or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj pot or hi-pot or high adj potential or hihg- potential) BRS 27 pot or hi-pot or high adj potential or hihg- potential or hihg- potential) BRS 27 pot or hi-pot or high adj potential) BRS 27 pot or hi-pot or high adj potential) BRS 27 potential or hihg- potential) BRS 27 potential or hihg- potential) BRS 28 BRS 29 BRS 29 BRS 21 BRS 20 BRS 27 BRS 28 BRS 27 BRS 28 BRS 27 BRS 28 BRS 2				or electric\$4)			
(instruct\$3 or command\$1) and (interface or connection or connection or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi adj pot or hi-pot or hihg- potential) BRS 27 pot or hi-pot or high adj potential or hihg- potential or hihg- potential) BRS 27 pot or hi-pot or high adj potential or hihg- potential) [IBM_TDB potential) IBM_TDB IBM_TDB				control\$4	1 [1		
and (interface or connection or connection or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi uspat; EPO; adj potential or hihg-potential) BRS 1 adj pot or hi-pot or high adj potential) (automatic with test\$3 with system\$1) and (hi adj us-pgpuB; potential or hiph adj potential) BRS 27 pot or hi-pot or high adj po; DERWENT; EPO; potential or hihg-potential) BRS 1 adj potential or hihg-potential or hiph adj potential or hiph adj potential) BRS 27 potential or hiph adj potential)				struct\$3 or			
connection or communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi uspat; EPO; adj potential or hihg- potential) BRS 1				(Interface			
communicat\$3) with (port\$1 or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi uspat; EPO; adj potential or hing-potential) BRS 1 adj pot or hi-pot or hing-potential) BRS 27 pot or hi-pot or high adj potential or hing-potential or hing-potential) BRS 27 pot or hi-pot or high adj potential) BRS 28 potential or hing-potential) Communicat\$3 with (port\$1) with or high adj us-pgpuB; potential)				connection or			
or cable41 or wire\$1) with operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi uspat; EPO; adj potential or hihg-potential) BRS 1 adj potential or hihg-potential) (automatic with test\$3 with system\$1) and (hi adj uspat; EPO; potential or hihg-potential) BRS 27 pot or hi-pot or high adj potential) BRS 28 potential) DERWENT; EPO; potential)							
operat\$3 with system\$1 (automatic with test\$3 with system\$1).ti. and (hi uspat; Epo; adj pot or hi-pot or high adj potential or hihg-potential) (automatic with test\$3 with system\$1) and (hi adj uspat; Epo; pot or hi-pot or high adj potential) (automatic with test\$3 with system\$1) and (hi adj uspat; Epo; potential or hing-pot or high adj potential) [BM_TDB] [BM_TDB] [BM_TDB]				or wire\$1)			
(automatic with test\$3 US-PGPUB; with system\$1).ti. and (hi uspar; EPO; adj pot or hi-pot or high adj potential or hihg-potential) (automatic with test\$3 US-PGPUB; EPO; pot or hi-pot or high adj po; DERWENT; EPO; potential or hihg-potential) (BM_TDB USPAT; EPO; potential) (BM_TDB				3 with			
BRS 1 adj pot or hi-pot or high adj potential or hihg- potential) [automatic with test\$3 with system\$1) and (hi USPAT; EPO; pot or hi-pot or high adj potential) [BRS 27 pot or hi-pot or high adj potential or hihg- potential) [BR_TDB] [BR_TDB] [BR_TDB]				tic with test\$3	IIQ-DCDIIB.		
BRS 1 adj pot or hi-pot or high adj potential or hihg-potential) [automatic with test\$3 with system\$1) and (hi adj potential) [BRS 27 pot or hi-pot or high adj po; DERWENT; EPO; potential or hihg-potential) [BRS 28 potential)				and (hi	•	0005/06/16	
potential or hihg- potential) [automatic with test\$3 with system\$1) and (hi adj potential or hihg- potential or hihg- potential) [BM_TDB] [BM_TDB] [BM_TDB]				pot or hi-pot or high		00.40	
potential) (automatic with test\$3 with system\$1) and (hi adj US-PGPUB; pot or hi-pot or high adj USPAT; EPO; potential or hihg- potential) [IBM_TDB]				potential or hihg-		09.47	
(automatic with test\$3 with system\$1) and (hi adj US-PGPUB; bot or hi-pot or high adj USPAT; EPO; potential or hihg- potential) [IBM_TDB]				ential)	TRM_IDB		
BRS 27 pot or hi-pot or high adj USPAT; EPO; potential or hihg- IBM_TDB potential)				with test\$3	· 811454-511		
BRS 27 pot or hi-pot or high adj JPO; DERWENT; potential or hihg- IBM_TDB				and (hi adj	100·	0005/06/16	
ential or hihg- IBM_TDB				or hi-pot or high adj		00 · 13	
ential)	_			ential or hihg-	TIR TIR	09:42	
				ential)	1 50		

57	5 6	55	
			Error Definitio n
			Errors
S 5 8	S57	S 5 6	Ref

Ϋ́T	Type	Hits	Search Text	DBs	Time Stamp	Comments
58 BRS		N 8	(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16	
59 BRS		N 5	(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot) and (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16 09:43	
60 BRS	თ თ		(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot) and (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and connect\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16 09:45	

60	59	58	
			Error Definitio n
			Errors
S61	S 6 0	S59	Ref

Type	þe	Hits	Search Text	DBs	Time Stamp	Comments
61 BRS		·	(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot) and (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and connect\$3 with (port\$1 or cable41 or wire\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16	
62 BRS	ω		(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hipot) with test\$3 and (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electric\$4) and connect\$3 with (port\$1 or cable41 or wire\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16	

6 2	61	
		Error Definitio n
		Errors
S 63	S 62	Ref

66 H	65 I	64 E	63	
BRS	BRS	BRS	BRS	Туре
2534	1782	1296	2	Hits
324/73.1,538,539,540,541.c cls.	702/57,64,65,119,122,123.ccls.	324/538,539,540,541.ccls.	(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hipo-potential or hipot) with voltage\$1 with test\$3 and (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and connect\$3 with (port\$1 or cable41 or wire\$1)	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
2005/06/16	2005/06/16 09:52	2005/06/16 09:54	2005/06/16	Time Stamp
				Comments

66	65	64	63	De
				Error Definitio n
				Errors
S 6 7	S 6 6	S 6 5 .	S 64	Ref

	Туре	Hits	Search Text	DBs	Time Stamp
67	BRS	3249	714/46,47,48,49,50,51,719, 720.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/16
80	B R S	N G	automat\$6 with test\$3 and test\$3 with (cod\$3 or program\$1 or software) and instrument\$1 with port\$1 and (ID or identify\$3 or identification\$1) with (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4) and control\$4 with (instruct\$3 or command\$1) and operat\$3 with system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16
69	BRS	6284	714/46,47,48,49,50,51,719,720,724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/16 09:57

69	68	67	
			Error Definitio n
			Errors
S70	0 0 0	S 68	Ref

	Type	Hits	Search Text	DBs	Time Stamp
70	BRS	U	(automatic with test\$3 with system\$1) and (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot) with voltage\$1 with test\$3 and (IC\$1 or integrated adj IC\$1 or motherboard\$1 or electron\$6 or electric\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16
71	BRS	15	AC with DC with (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot) with voltage\$1 with test\$3	JPO; DERWENT; JPO; DERWENT; JPO; DERWENT;	2005/06/16
72	BRS	<u> </u>	AC with DC with (hi adj pot or hi-pot or high adj potential or hihg-potential or hipot) with voltage\$1 with test\$3 and connect\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/16 [; 10:04
73	BRS	214	with test\$3 and with system\$1 ect\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWEN	; 2005/06/16 NT; 10:07

73	72	71	70	
				Error Definitio n
				Errors
S74	S73	S72	S71	Ref #

76	75	74	
			Error Definitio n
			Errors
S77	S76	S 7 5	Ref

78	77	
BRS	BRS	Туре
4105	N	Hits
324/73.1,511,536,538,539,5 40,541,544,551,.ccls.	automat\$6 with test\$3 and operat\$3 with system\$1 with (interface or communication or connect\$3) and (hi adj pot or hi-pot or high adj pot potential or hipot) with voltage\$1 with test\$3 and (ID or identification\$1 or identification\$1 or with number\$1	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
2005/06/16 10:34	2005/06/16	Time Stamp
	·	Comments

	Error Definitio n	Errors	Ref
77			S 7 8
78			S79

79	
BRS	Туре
	Hits
automat\$6 with test\$3 and (interface or communication or connect\$3) same operat\$3 with system\$1 with instrument\$1 and (hi adj pot or hi-pot or high adj potential or hingpotential or hipot) with voltage\$1 with test\$3 and (ID or identification\$1 or identifier\$1 or serial) with number\$1	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
2005/06/16 10:43	Time Stamp Comments
	Comments

79	
·	Error Definitio n
	Errors
0 8 8	Ref